


Part #	O.D. Dim.		Thickness		Hole ct.	Hole size		Gating Area		Pcs/Ctn
	Inch	mm	Inch	mm	Hole Ct.	Inch	mm	Sq. Inch	mm	F GS/CIII
100	1.75"	44.5	.375"	9.5	10	.24"	6.1	0.452	291.6	800
101	2.0"	50.8	.375"	9.5	10	.25"	6.4	0.490	316.1	600
102	2.25"	57.2	.375"	9.5	12	.281"	7.1	0.746	481.3	500
203	2.25"	57.2	.375"	9.5	16	.218"	5.5	0.601	387.8	500
216	2.25"	57.2	.375"	9.5	20	.25"	6.4	0.980	632.3	500
103	2.5"	63.5	.375"	9.5	16	.281"	7.1	0.994	641.3	360
104	2.75"	69.9	.50"	12.7	18	.312"	7.9	1.380	890.4	280
235	3.0"	76.2	.50"	12.7	16	.312"	7.9	1.227	791.7	224
105	3.0"	76.2	.50"	12.7	18	.312"	7.9	1.380	890	224
106	3.5"	88.9	.50"	12.7	19	.375"	9.5	2.099	1354.3	168
236	5.0"	127	.625"	15.9	19	.625"	15.9	5.829	3760.9	46







Title: Strainer Core Data Sh	Titlo	Strainer	Core	Data	She	et
------------------------------	-------	----------	------	------	-----	----

Scale: *Not to scale
Date: 02/17/15
Revision: B Drawn by TM
Approved by RCO

ICP INDUSTRIAL CERAMIC PRODUCTS, INC.

This document and the information contained therein is proprietary to Industrial Ceramic Products, Inc and shall not be used or disclosed to others, in whole or in part, without the written authorization of Industrial Ceramic Products, Inc.